

SHUMYKO, G.K., starshiy kapitan-nastavnik

Present-day trends in navigational safety devices. Rech.transp.
17 no.9:60-61 S '58. (MIRA 11:11)

1. TSentral'nyy nauchno-issledovatel'skiy institut ekonomiki i
ekspluatatsii vodnogo transporta.
(Aids to navigation)

SHUMETKO G
SHUMEYKO, G.

New radar systems. Mor. flot 18 no.1:29 Ja '58.

(MIRA 11:1)

1. Starshiy kapitan-nastavnik Tsentral'nogo nauchno-issledovatel'skogo instituta ekonomiki i ekspluatatsii vodnogo transporta.
(Radar in navigation)

SHUMEYKO, G.

Improving navigational safety devices. Mor. flot 18 no.8:23-24
Ag '58. (MIRA 11:9)

1. Starshiy kapitan-nastavnik Tsentral'nogo nauchno-issledovatel'-
skogo instituta ekonomiki i ekspluatatsii vodnogo transporta.
(Buoys)

SHUMEYKO, Georgiy Konstantinovich; IVANOV, N.A., red.; LAVRENOVA,
N.B., tekhn.red.

[Compiling marine radar guides] Sostavlenie morskikh radio-
lokatsionnykh posobii. Moskva, Izd-vo "Morskoi transport."
1959. 40 p. (MIRA 12:8)
(Radar in navigation)

RUL'KOV, Dmitriy Ivanovich; SARATOV, Vladimir Fadeyevich; SHUMEYKO, G.K.,
retsenzent; KONSTANTINOV, V.P., retsenzent; KUSHCH, L.K., red.;
LOBANOV, Ye.M., red.izd-vs; BOBROVA, V.A., tekhn.red.

[Nautical equipment of ships for inland navigation] Navigatsionnoe
oborudovanie sudov vnutrennego plavaniia. Moskva, Izd-vo "Rechnoi
transport," 1959. 127 p. (MIRA 13:1)
(Inland navigation) (Nautical instruments)

SHUMEYKO, G., starshiy kapitan-nastavnik

Aids to navigation wth the help of radar. Mor. flot 19 no.2:7-9
(MIRA 12:3)
F '59.

1. Tsentral'nyy nauchno-issledovatel'skiy institut ekonomiki i
ekspluatatsii vodnogo transporta.
(Aids to navigation) (Radar in navigation)

BUKHANOVSKIY, I., starshiy kapitan-nastavnik; SHUMEYKO, G., starshiy kapitan-nastavnik

Technical developments in the use of radar as a means of preventing collisions at sea. Mor.flot 19 no.8:8-9 Ag '59. (MIRA 12:11)

1. Tsentral'nyy nauchno-issledovatel'skiy institut ekonomiki i ekspluatatsii vodnogo transporta.
(Radar in navigation) (Collisions at sea--Prevention)

BUYANOV, Nikolay Fedorovich; SHUMEYKO, G.K., red.; PETIN, M.I., red. izd-va;
TIKHONOVA, Ye.A., tekhn. red.

[Bried radar description of a route from the Black Sea to the Far
East] Kratkoe radilokatsionnoe opisanie marshruta Chernoe more -
Dal'nii Vostok. Moskva, Izd-vo "Morskoi transport," 1960. 26 p.
(MIRA 13:5)

(Radar in navigation)

SHUMEYKO, G., starshiy kapitan-nastavnik

Efficient arrangement of navigating bridges and deck houses.
Rech. transp. 20 no.10:53-54 0 '61. (MIRA 14:9)

1. TSentral'nyy nauchno-issledovatel'skiy institut ekonomiki
i ekspluatatsii vodnogo transporta.
(Ship handling)

SHUMEYKO, Georgiy Konstantinovich; FEDOROV, V.P., red.; LAVRENOVA,
N.B., tekhn. red.

[Navigation in the zone of tropical hurricanes] Plavanie v zone
tropicheskikh uraganov. Moskva, Izd-vo "Morskoi transport,"
1962. 199 p. (MIRA 15:6)
(Navigation) (Hurricanes)

SHUMEYKO, G.K.

Present-day demands made by navigators on meteorologists
and oceanographers. Vop. geog. no.62:27-34 '63.
(MIRA 17:3)

SHOULD BE... (faint text)

...the matter of having the houses of
... (faint text) ... 4 ... (faint text) ...

(MIRA 18:8)

SHUMEYKO, G.

The strength of workers is in unity of action. Sov.profsoiuzy 3
no.4:74-80 Ap '55. (MLRA 8:5)
(Trade unions)

SHUMEYKO, Grigoriy Vasil'yevich

[The struggle for working class unity and trade unions] Bor'ba za
edinstvo rabocheho klassa i profsoiuznoe dvizhenie. Moskva, Izd-vo
"Znanie," 1956. 47 p. (MIRA 10:2)
(Trade unions) (World Federation of Trade Unions)

SHUMEYKO, G.

For unity in action of the working class. Sev.prefsoluzny 4 no.3:
76-80 Mr '56. (Labor and laboring classes) (MIRA 9:7)

SHUMEYKO, G.

For international unity of workers. Sov. profsoiuzy 5.no.4:81-87
Ap '57. (MLRA 10:6)

(Labor and laboring classes)

SHUMEYKO, G.

Reformist illusions and capitalist reality. Vsem. prof. dvizh. no.3:
41-42 Nr '58. (MIRA 11:2)

(Capitalism)

SHUMEYKO, G.; PIMENOV, P.; ORFANITSKIY, V.; VLADYCHENKO, I.; RYABOV, N.;
YEGORICHEV, A.; TARNOPOL'SKIY, A.; GURVICH, A.; USHATIKOV, N.,
profsoyuznyy aktivist

Let's strengthen fraternal international connections. Sov.
profsoiuzy 16 no.16:49-54 Ag '60. (MIRA 13:8)

1. Nachal'nik Tsentral'nogo turistsko-ekskursionnogo upravleniya Vsesoyuznogo tsentral'nogo soveta profsoyuzov (for Shumeyko).
 2. Predsedatel' Tsentral'nogo komiteta profsoyuza rabochikh ugol'noy promyshlennosti (for Vladychenko).
 3. Sekretar' Tsentral'nogo komiteta profsoyuza rabochikh elektrostantsiy i elektropromyshlennosti (for Ryabov).
 4. Predsedatel' zavkoma Kuznetskogo metallurgicheskogo kombinata (for Yegorichev).
 5. Predsedatel' pravleniya Doma kul'tury stroiteley "Oktyabr'" (for Tarnopol'skiy).
 6. Predsedatel' komissii po zarubezhnym svyazyam zavodskogo komiteta stankostroitel'nogo zavoda imeni Sergo Ordzhonikidze (for Gurvich).
 7. Avtomobil'nyy zavod imeni Likhacheva (for Ushatikov).
- (Russia--Relations (General) with foreign countries)

SHUMYKO, I. P.

Sugar - Manufacture and Refining

Successes of the collective of the Veselyy Podol sugar factory. Sakh. prom. 26 No. 6, 1952.

Monthly List of Russian Accessions, Library of Congress, August 1952. Unclassified.

S/133/61/000, 011/010/010
AO54/A127

AUTHORS: Litvinov, A. A., Shumeyko, R. I., Engineers

TITLE: Using high-strength cold-drawn wire without low-temperature annealing

PERIODICAL: Stal', no. 11, 1961, 1043 - 1044

TEXT: ГОСТ 8480-57 (GOST 8480-57) prescribes for high-strength, cold-drawn wires of the steel grades 70 and 90 used in prestressed, reinforced structures a minimum strength of 150 kg/mm² and a yield point of 120 kg/mm², with a relative elongation of not less than 5% and a minimum bending number of 3. These characteristics are only attained after low-temperature annealing of the wire in a lead or sodium nitrite bath. To eliminate this expensive process, reinforcement wire has been produced since 1959 by electrothermal and combined electrothermal-mechanical drawing. Tests carried out at the Donetskoy nauchno-issledovatel'skiy institut nauchakhtnogo stroitel'stva (Donetsk Scientific Research Institute of Mine Structures) proved that at a certain correlation of heating time and temperature, low-temperature annealing of the wire can be omitted and it can be used with a lower relative elongation than required by GOST. The authors presented a table showing the change in mechanical properties of 5.0-mm diameter wires (with a

Card 1/3

S/133/61/009/011/014/017
A054/A127

Using high-strength cold-drawn wire...

0.81% carbon content) produced at the Khartsyzsk Plant, with and without low-temperature annealing, after brief electric heating to 350, 400, 450, 500 and 550°C within 5, 10, 15 and 20 seconds, (based on a series of 1,290 tests). The medium strength of the nonannealed wires is obtained at 350°C and a heating time of 5 sec. Heating to higher temperatures reduces the strength. The critical strength (150 kg/mm²) could be maintained for all heating periods tested (5 - 20 sec) up to 350 - 400°C, when heated to 450 - 460°C, only for 20 seconds. The yield limit reaches the maximum when the wire is heated to 350°C for 10 seconds; relative elongation increases with the rising temperature and attains 9% at 350°C for heating times of 10 - 20 seconds. The number of bendings is also raised although a clearly defined regularity could not be found. The effect of electric heating is similar for specimens subjected to low-temperature annealing. The microstructure of electric-heated specimens with and without annealing is the same. It belongs to the sorbitic-bainite and sorbitic-type, with a microhardness of 310 - 450 units. Another advantage of electrically heated wires is that they can be coiled into small coils, weighing 20 kg at the minimum, as electric-heated wire-lengths are not longer than 6 m, whereas in the conventional process the wire is coiled into coils 550 - 2000 mm in diameter and as a rule they have to be uncoiled and

Card 2/3

Slip 6/10/71 11 19 11
A094/A109

... ..

Standardized report being used. There are 1 table and 2 figures.

AS INFORMATION: D.
... (... .. Institute of Mine ...)

Hand 1/2

L 27090-66 EWT(m)

ACC NR: AP6017412

SOURCE CODE: UR/0097/65/000/010/0015/0018

AUTHOR: Gorodnitskiy, F. M. (Candidate of technical sciences); Yukhvets, I. A. 22
(Candidate of technical sciences); Korenev, K. I. (Engineer); Riskind, B. Ya. 8
(Engineer); Shumeyko, R. I. (Engineer); Livchak, T. N. (Engineer); Litvinov, A. A.
(Engineer); Makarevich, A. A. (Engineer)

ORG: none

TITLE: Properties of high-strength reinforcement material subjected to electrical heating

SOURCE: Beton i zhelezobeton, no. 10, 1965, 15-18

TOPIC TAGS: concrete, wire, solid mechanical property

ABSTRACT: Specimens of high-strength reinforcing wire for concrete were 15
subjected to mechanical tests to determine the effects of electrothermal
prestressing on the strength of reinforcing materials. The experimental
procedure is described and the mechanical characteristics, chemical compo-
sition and geometric shape of the various wires studied are given. It is
found that the optimum pretensioning temperature (i.e. the highest tempera-
ture which does not reduce the ultimate strength of the wire) is 400°C for
a 5-mm wire and 350°C for a 3-mm wire. These temperatures meet the standard
requirements for permanent elongation of wire which is not low-temperature
annealed during manufacture. Since 3-mm wire is not sufficiently tensioned

Card 1/2

UDC: 666.982.4

Card 2/2 W

TOVPENETS, Ye.S., kand. tekhn. nauk; IVASHCHENKO, V.M., inzh.; STYCHINSKIY, L.P., inzh.; ZHUKOV, A.I., inzh.; MERSHCHIY, N.P., inzh.; KORENEV, K.I., inzh.; SHUMEYKO, R.I., inzh.; IVANOV, F.I., inzh.

Mechanical properties of reinforcement rods after heat treatment from the rolling process temperature. Stal' 25 no.2:157-160 (MIRA 18:3)
F '65.

1. Donetskii politekhnicheskii institut; Makeyevskiy metallurgicheskii zavod; Nauchno-issledovatel'skiy institut "Donpromstroy"
i Novo-Kramatorskiy zavod tyazhelogo mashinostroyeniya.

SHUMEYKO, R.I., inzh.

White zone in the microstructure of wire and its properties.
Stal' 25 no.2:185 F '65. (MIRA 18:3)

SHUMENKO, S.I.

Use of the method of electron-microscopic replicas in
studying Upper Cretaceous Coccolithophoridae.
Dokl. AN SSSR 147 no.2:471-473 N '62. (MIRA 15:11)

1. Khar'kovskiy gosudarstvennyy universitet im. A.M. Gor'kogo.
Predstavleno ~~akademikom~~ N.M. Strakhovym.
(Algae, ~~Fossil~~)
(Electron microscopy)

ANNAMURADOV, N , kand. med. nauk; SHUMEYKO, T., red.; SAKHATOV, B., tekhn.
red.

[Archman Health Resort and its therapeutic properties]
Kurort Archman i ego tselebnye svoistva. Ashkhabad, Turk-
menskoe gos. izd-vo, 1960. 73 p. (MIRA 16:5)
(ARCHMAN--HEALTH RESORTS, WATERING PLACES, ETC.)

NOVIKOV, Leonid Dmitriyevich; SHUMEYKO, T., red.; SAKHATOV, B., tekhn.
red.

[Power engineering of Turkmenistan] Energetika Turkmenistana. Ash-
khabad, Turkenskoe gos. izd-vo, 1961. 31 p. (MIRA 14:11)
(Turkmenistan—Power engineering)

RODYUKOV, V.I.; SHUMEYKO, T.I., red.; PURLIYEVA, M.K., tekhn.
red.

[Economic relations of Soviet Turkmenistan] Ekonomicheskie
sviazi sovetskogo Turkmenistana. Ashkhabad, Turkmengosiz-
dat, 1963. 82 p. (MIRA 16:12)
(Turkmenistan—Industries)
(Turkmenistan—Freight and freightage)

USSR/Diseases of Farm Animals - Diseases Caused by Viruses
and Rickettsiae.

R-2

Abs Jour : Ref Zhur - Biol., No 10, 1958, 54410

Author : Nikiforova, N.M., Shumcyko, U.Ya., Anikeyev, A.P.,
Rubinskiy, Ye.N.

Inst : -

Title : Experience in the Hyperimmunization of Horses for the
Purpose of Obtaining Serum Against Swine Erysipelas
According to the Technique in Use in the German Democratic
Republic.

Orig Pub : Inform. byul. biol. prom-sti, 1957, No 2, 20-25

Abstract : No abstract.

Card 1/1

- 15 -

SHUMEYKO, V., starshiy shikhtovshchik

Progressive method of furnace charging. Metallurg 6 no.12:18-
19 D '61. (MIRA 14:11)

1. Martenovskiy tsekh zavoda "Zaporozhstal".
(Open-hearth furnaces--Equipment and supplies)

SHUMEYKO, V.D. (Kiyev)

Applying the Rayleigh-Ritz method for determining the frequency of natural vibrations of a bar. Prykl.mekh. 7 no.3:332-335 '61.

(MIRA 14:6)

(Elastic rods and wires--Vibration)

8(0)

SOV/112-59-4-6947

Translation from: Referativnyy zhurnal. Elektrotehnika, 1959, Nr 4, p 75 (USSR)

AUTHOR: Shumeyko, V. I.

TITLE: Higher Explosion-Safety Qualities of Flexible Rubber Cables

PERIODICAL: V sb.: Gorn. elektrotehnika, M., Ugletekhizdat, 1957, pp 35-54

ABSTRACT: Raising the safety of rubber-insulated cables in the mines is considered. The safety can be attained by a high-speed protective system that would cut off the damaged cable, forestalling a short-circuit. Methods for determining the safe operating time for a protective system in case of cable damage by a falling rock or a sharp object are presented, as well as the principles of high-speed protective systems. Methods for hazard elimination in case of cable damage by spark-ignited methane-air mixture are discussed; the spark can be caused by a self-excitation EMF of the motor, when the motor is turned off, and by an EMF induced in the grounded cable conductor. Schemes, graphs, and oscillograms are supplied.

I. V. Kh.

Card 1/1

SHUMYKO, V.I., inzh.

Flexible shielded cables. Bezop.truda v prom. 2 no.5:24-26 My '58.
(Cables) (MIRA 11:4)

LEYBOV, R.M., prof.; SHUMEYKO, V.I., starshiy nauchnyy sotrudnik; SUMIN, I.F.
starshiy nauchnyy sotrudnik

Flexible, shielded cables in mines. Ugol' 33 no.4:29-31 Ap '58.
(MIRA 11:4)

1. Donetskiy industrial'nyy institut (for Leybov). 2. Makeyevskiy
nauchno-issledovatel'skiy institut po bezopasnosti gornykh rabot (for
Shumeyko, Sumin).

(Electricity in mining)

SHUMEYKO, V.I., gornyy inzhener

Protection of mine workings in the Lvov-Volyn Basin. Ugol'
Ukr. 3 no.6:10-13 Je '59. (MIRA 12:11)

1. Donetskyy ugol'nyy institut (DonUGI).
(Lvov-Volyn Basin--Subsidence (Earth movements))

SHUMLEYKO, V.I.

Purpose of flexible shielded cables and methods of testing
them. Trudy MakNII 9 no.2:193-227 '59. (MIRA 12:8)
(Electric cables--Testing)

KOLOMIYTSEV, N.M.; SHUMEYKO, V.I., starshiy nauchnyy sotrudnik

Making progress in the expansion of coal mining in the Lvov-Volyn'
Basin. Ugol' Ukr. 5 no.1:15-17 Ja '61. (MIRA 14:1)

1. Nachal'nik upravleniya toplivnoy promyshlennosti L'vovskogo
sovnarkhoza (for Kolomiytsev). 2. Sotrudnik Donetskogo ugol'nogo
instituta (for Shumeyko).
(Lvov-Volyn' Basin—Coal mines and mining)

SHUMEYKO, V.I., gornyy inzh.

Efficient type of metal supports for stopes. Ugol' 36 no.7:6-8
Jl '61. (MIRA 15:2)

(Time timbering)

SHUMEYKO, V.I., gornyy inzh.; ORESHKIN, V.L., gornyy inzh.

Location of development workings in the ground of mined coal seams.
Ugol' Ukr. 6 no.5:11-13 My '62. (MIRA 15:11)

1. Donetskiiy nauchno-issledovatel'skiy ugol'nyy institut.
(Coal mines and mining)

SHUMEYKO, V.I., inzh.; ORESHKIN, V.L., inzh.

Results of studies of the movement of a rock massif enclosing a seam being mined. Sbor. DonUGI no.29:31-41 '63. (MIRA 16:10)

(Lvov-Volyn' Basin--Subsidences (Earth movements))

MOROZOV, V.A.; SHUMLEYKO, V.N.

New loci of *Alectorobius asperus verrucosus* in Krasnodar
Territory. Med.paraz. i paraz.bol. 28 no.3:342-343
My-Je '59. (MIRA 12:9)

1. Iz Krasnodarskoy krayevoy sanitarno-epidemiologicheskoy
stantsii (glavnyy vrach Ye.V.Strikhanova).

(TICKS,

Alectorobius asperus verrucosus in Russia
(Rus))

SHUMEYKO, V. P.

AID P - 2611

Subject : USSR/Meteorology

Card 1/1 Pub. 71-a - 14/26

Authors : Simonov, Ya. P. and V. P. Shumeyko

Title : A universal model of a heliograph

Periodical : Met 1 gidr, 4, 49, J1/Ag 1955

Abstract : The design of the universal heliograph used at hydro-meteorological stations is criticized for its complex operation and frequent failures. However, it is mentioned that this type is the only one which operates efficiently in polar regions.

Institution : None

Submitted : No date

SHUMEYKO, V.P.

"The climate of the Russian lowland in the past" by I.E.Buchinskii.
Reviewed by V.P.Shumeiko. Meteor.i gidrol. no.10:48-50 O '57.

(MIRA 10:11)

(Climate--History)

(Buchinskii, I.E.)

SHUMEYKO, V.P.

"Climate of the Ukraine" by I. E. Buchinskii. Reviewed by V. P. Shumeiko. Meteor. i gidrol. no.4:50-51 Ap '61. (MIRA 14:3)
(Ukraine—Climate) (Buchinskii, I.E.)

SHUMEYKO, V.P.

"Climate of the Ukraine in the past, present and future"
by I.E. Buchinskiĭ. Reviewed by V.P. Shumeiko. Izv. Vses.
geog. ob-va 96 no.5:439-440 S-O '64. (MIRA 17:12)

SHUMIKHIN, N. kapitan-leytenant

Navy friendship is indissoluble. Voen.znan. 36 no.12:15-16
D'60. (MIRA 13:11)

(Russia--Navy)

SHUMIKHIN, N., kapitan 3 ranga

Ships' electricians. Voenn. znaniye. 38 no.7:21-22 J1 '62.
(MIRA 15:6)
(Submarine boats)

SHUMIKHIN, V., mayor

A lad from Kineshma. Av.1 kosm. 45 no.8:76-78 '62. (MIRA 15:8)
(World War, 1939-1945—Aerial operations)

SHUMIKHIN, Yu.

USSR/Radio - Pulse Techniques
Television

Aug 50

"Pulse Technique," B. Krivitskiy, Yu. Shumikhin

"Radio" No 8, pp 20-23

Explains basic elements of pulse transmitters and receivers and properties of video pulses and radio pulses. States many Soviet scientists are working on this subject.

PA 164T98

1. SHUMIKHIN, YU. A.
2. USSR (600)
4. Technology
7. Introduction to impulse technology, Moskva, Gosenergoizdat. 1952

9. Monthly List of Russian Accessions, Library of Congress, March, 1953. Unclassified.

SHUMIKHIN, Yu., kandidat tekhnicheskikh nauk

Radio in aviation. Izyl.rod. 3 no.5:14 My '52. (MLBA 8:8)
(Radio in Aeronautics)

YEVDOKIMOV, P.I., redaktor; KRIVITSKIY, B.Kh., redaktor; Shumikhin, Yu.A.,
redaktor; TRASKIN, K.A., inzhener-podpolkovnik, redaktor; MIASNI-
KOVA, T.F., tekhnicheskiiy redaktor

[Transmitting electric measurement data by radio; collection of
translations on radiotelemetry] Tekhnika peredachi resul'tatov izme-
renii po radio; sbornik perevodov po radiotelemetrii. Moskva, Voen.
izd-vo Ministerstva oborony SSSR, 1955. 148 p. [Microfilm](MLRA 8:6)
(Telemetering)

AID P - 4398

Subject : USSR/Radio

Card 1/1 Pub. 89 - 7/11

Authors : Maksimov, M. and Yu. Shumikhin, ~~Yu.~~

Title : Radio-telemetering

Periodical : Radio, 3, 43-46, Mr 1956

Abstract : The measuring at a distance by radio recording is discussed. A block diagram of a 23 channel voltage type measuring system is presented. Samples of radio recording of wave signals by means of a measuring radio instrument mounted on a rocket are shown. A detailed description of the instruments' functions is given. Five diagrams.

Institution : None

Submitted : No date

SHUMIKHIN, Yu.

Automatic tracking. Radio no.10:18-22 0 '57. (MIRA 10:10)
(Radar)

6(6)

PHASE I BOOK EXPLOITATION

SOV/2244

Shumikhin, Yuriy Artem'yevich

Televideniye v voyennom dele (Television in Military Operations)
Moscow, Voen. izd-vo M-va obor. SSSR, 1958. 79 p. No. of
copies printed not given.

Ed.: A.I. Usikh, Engineer, Colonel; Tech. Ed.: R.L. Solomonik.

PURPOSE: The book is intended for the general reader.

COVERAGE: The author briefly discusses the fundamentals of television technique. He describes methods of using television equipment for military purposes, in particular, for ground and air reconnaissance. He also describes the use of television for controlling flights of pilotless objects. The use of television for air, marine, and submarine navigation is also discussed. No personalities are mentioned. There are 23 references: 13 Soviet (including 2 translations), 9 English, and 1 French.

Card 1/3

Television in Military Operations

SOV/2244

TABLE OF CONTENTS:

Foreword	3
Ch. I. Fundamentals of Television Technique	5
1. Diagram of television transmission	5
2. Possibilities of using television for military purposes	7
3. Principles of television transmission	13
4. Basic units of television equipment	23
Ch. II. Television Reconnaissance	38
1. Possibilities of using television for reconnaissance purposes	38
2. Television system for tactical reconnaissance for ground forces	39
3. Television system for air reconnaissance	44
Ch. III. Television Control of Flights of Pilotless Controlled Objects	52
Ch. IV. Use of Television for Air and Marine Navigation	59

Card 2/3

Television in Military Operations

SOV/2244

1. Television in air navigation systems
2. Television in marine navigation systems
3. Submarine television

59
66
70

Bibliography

79

AVAILABLE: Library of Congress

JP/jmr
8-26-59

Card 3/3

BOGATOV, Gerał'd Borisovich; SHUMIKHIN, Yu.A., red.; LARIONOV, G.Ye.,
tekhn. red.

[Achievements and objectives of present-day television] Dosti-
zheniia i zadachi sovremennogo televideniia. Moskva, Gos. energ.
izd-vo, 1961. 175 p. (Massovaia radiobiblioteka, no.425)
(MIRA 15:2)

(Television)

BARBUKOV, Filipp Ivanovich; SHUMIKHIN, Yu.A., red.

[Low-frequency generators and selective amplifiers] Generatory i selektivnye usiliteli nizkoi chastoty. Moskva, Energiia, 1964. 79 p. (Massovaya radiobiblioteka, 535) (MIRA 17:9)

FEL'DMAN, Lev Davidovich; SHUMIKHIN, Yu. A., red.

[Television reception] Televizionnyi priem. Moskva,
Energia, 1965. 207 p. (Massovaia radiobiblioteka,
no. 565) (MIRA 18:8)

MERENKOV, B.Ya.; TOLSTIKHINA, K.I.; SHUMIKHINA, I.V.

Dehydration of chrysotile-asbestos and serpophite. Trudy IGM
no.31:54-67 '59. (MIRA 12:7)

(Asbestos)

ZAGREBIN, D.V.; SHUMIKHINA, K.G.

~~Tables of basic precession values for 1950-2000.~~ Biul.Inst. teor.
astron. 5 no.10:682-693 '54. (MIRA 8:4)
(Precession)

PHASE I BOOK EXPLOITATION

SOV/5461

Akademiya nauk SSSR. Institut teoreticheskoy astronomii.

Astronomicheskii yezhegodnik SSSR na 1962 g. (Astronomical Yearbook of the USSR for 1962) Moscow, Izd-vo Akademii nauk SSSR, 1960. 647 p. Errata slip inserted. 2,000 copies printed.

Sponsoring Agency: Institut teoreticheskoy astronomii Akademii nauk SSSR.

Resp. Ed.: M. F. Subbotin, Director of the Institute of Theoretical Astronomy of the Academy of Sciences USSR, Corresponding Member, Academy of Sciences USSR.

PURPOSE: This book is intended for astronomers and geophysicists.

COVERAGE: The Astronomical Yearbook of the USSR for 1962 has been compiled in accordance with changes proposed by the International Astronomical Union to member organizations at its meeting in 1958. In addition to usual

Card: 46

Astronomical Yearbook (Cont.)

SOV/5461

information on the Sun, Moon, Earth, and planets, the Yearbook contains the ephemerides of the lunar crater Moesting A, which until 1960 were published by the Berliner Astronomisches Jahrbuch, [Berlin Astronomical Yearbook], and whose regular publication has now been undertaken by the Institute of Theoretical Astronomy of the USSR at the request of the Union's Committee on Ephemerides. The solar, lunar, and planetary coordinates in the Yearbook are based on data supplied by the British Nautical Almanac as stipulated by the Astronomical Union. The material in the Yearbook was compiled and prepared by the following scientists: computation of ephemerides of the lunar crater Moesting A on high-speed computer BEMS at the Vychislitel'nyy tsentr AN SSSR (Computer Center AS USSR) - D. K. Kulikov; reduction of solar and lunar ephemerides - A. G. Mal'kova and G. A. Mazing; computation of nutation on high-speed computer BEMS - D. V. Zagrebina, O. M. Gromova and A. Ya. Faletova; computation of reduction values of visible positions of ten-day and near-polar stars - M. B. Zheleznyak and M. A. Fursenko; preparation of original data on visible positions of ten-day and near-polar stars -

Card-2/16

Astronomical Yearbook (Cont.)

SOV/5461

E. A. Mitrofanova (in charge), O. M. Gromova, G. A. Mazing, T. I. Mashinskaya, G. M. Poznyak, K. G. Shumikhina, and P. A. Gutkina; heliocentric coordinates of the large planets - O. M. Gromova, A. G. Mal'kova; reduction values (trigonometric system) - E. A. Mitrofanova, and K. G. Shumikhina; mean positions of stars - E. A. Mitrofanova, M. B. Zheleznyak, O. M. Gromova, K. G. Shumikhina, M. A. Fursenko; solar and lunar eclipses - E. A. Mitrofanova, M. A. Fursenko; planetary configurations - E. A. Mitrofanova, O. M. Gromova; ephemerides for physical solar observations - P. A. Gutkina, T. I. Mashinskaya; ephemerides for physical lunar observations - G. A. Mazing, P. A. Gutkina, K. G. Shumikhina; ephemerides of the illumination of the discs of Mercury and Venus - T. I. Mashinskaya, G. M. Poznyak; ephemerides for physical observations of Mars - G. M. Mazing, T. I. Mashinskaya; ephemerides for physical observations of Jupiter - T. I. Mashinskaya, E. A. Mitrofanova; Saturn's rings - G. A. Mazing, T. I. Mashinskaya; sunrise and sunset - A. I. Frolova; rising and setting of the moon - P. A. Gutkina and K. G. Shumikhina; altitudes and azimuths of the Polar Star - A. G. Mal'kova

Card 3/16

20

Astronomical Yearbook (Cont.)

SOV/5461

and K. G. Shum'khina; table for determining latitude by the altitude of the Polar Star - K. G. Shum'khina and P. A. Gutkina; preparation of manuscript for publication - V. G. Kudinova; review and edition of "Explanatory Notes", D. K. Kulikov. There are no references.

TABLE OF CONTENTS:

Foreword	3
Times of the Year. Some Constants	5
Ephemerides of the Sun	5
Orthogonal Equatorial Coordinates of the Sun (1962. 0)	22
Orthogonal Equatorial Coordinates of the Sun (1950. 0)	30
Card 4/16	

KONTOROVICH, P.G.; BUSARKINA, L.R.; SHUMIKHINA, N.A.

Some set-theoretical partitions of bodies. Mat. zap. Ural.
mat. ob-va UrGu 4 no.1:49-56 '63.

(MIRA 17:9)

BLOKHIN, V.N.; GRIGOR'YEV, M.G.; KOZHEVNIKOV, A.I.; KOROLEV, B.A.; MATYUSHIN, I.F.; PARIN, B.V.; TSIMKHES, I.L.; KALININA, G.V.; FEDOROV, A.M.; KOLOKOL'TSEV, M.V.; SOKOLOV, V.V.; PRILUCHNAYA, O.A.; SHUMILKINA, Ye.I.; ABRAMOV, Yu.G.; RYURIKOV, A.Kh.; IKONNIKOV, P.I.; VOZNESENSKIY, I.Ya.; TEPOV, S.V.; MIZINOV, N.N.; KUKOSH, V.I.

V.M.Durmashkin; obituary. Ortop., travm. i protez. 21 no.8:81 Ag
'60. (MIRA 13:11)

(DURMASHKIN, VIKTOR MARKOVICH, d. 1960)

L 17783-66 EWT(m)/EWP(j) RM

SOURCE CODE: UR/0081/65/000/012/S058/S058

ACC NR: AR5020054

AUTHOR: Kessenikh, R.M.; Sotnikov, V.G.; Trippel', V.G.; Shumikov, Yu.N.;
Gruzdeva, Yu.G.; Povelichenko, A.P.

ORG: none

TITLE: Effect of plasticization on the physical properties of polyvinylchloride tar

SOURCE: Ref. zh. Khimiya, Abs. 128344

REF SOURCE: Izv. Tomskogo politekhn. in-ta, v. 126, 196, 36-->

TOPIC TAGS: polyvinyl chloride, plasticizer, electric properties, vinyl plastic, brittleness, thermal stress

TRANSLATION: A study was made of the effect of low-molecular plasticizers (PL) from dioctylphthalate (DOP) and dibutylsebacinate (DBS) on the thermophysical and electric properties of polyvinylchloride (PVC). It was established that PL affects the maximum of dipole elasticity losses and when the content of PL is considerable it displaces the maximum to lower temperature areas and decreases its value; the effect on PVC produced by DBS is stronger than that of DOP. There is a considerable PL effect at 20° on the resistance of specific volume in plasticized PVC when the compound contains >20% of PL. The greatest effect is achieved by DBS, lowering the specific volume resistance by 3 points, as compared to pure PVC. If the compound contains 50% of DBS, the specific volume resistance goes down by 5 points and is further lowered at higher

Card 1/2

L 17783-66

ACC NR: AR5020054

temperatures. The introduction of PL lowers the embrittlement temperature (ET): with a content of 5% of PL in the compound, as referred to the ET of PVC, the ET equals 20°; with a 50% content of PL in the compound, the ET equals 1°. DOP and DBS have an almost identical effect on the thermal expansion and the ET in PVC plastics. By means of a roentgenographic analysis it was established that the introduction of PL into PVC ($\leq 20\%$) stimulates a better ordered structure of the material; however, a further increase of PL (50%) will disturb the order of the compound structure.

SUB CODE: 07

Card 2/2 vmb

SHUMIKOVSKIY, N.N.; MIKHAYLOVSKIY, V.N.

On selecting the channel and medium of communications in measuring
the "depth parameters" in oil wells. Nauch.zap. IMA L'viv.fil AN
URSR no.1:5-26 '53. (MLRA 8:11)
(Oil well logging, Electric)

7. The following information was obtained from the Central Intelligence Agency (CIA) on 12/15/53, from the "Miami Herald," Miami, Fla., Dec. 15, 1953.

Re: Sirra SI-90-53, 15 Dec 1953

SHVARTS, V. I.

SHVARTS, V. I. "Susceptibility of Winter Wheat to Fungus Diseases when Sown in Stubble," Doklady Vsesoyuznoi Akademii Sel'skokhozyaystvennykh Nauk izdati V. I. Lenina, vol. 10, no. 1-5, 1945, pp. 41-44. 20 Ak1

So: Sira SI-60-53, 15 Dec 1953

SHEN TIEN-CHOW, T. T.

SHEN TIEN-CHOW, T. T. "Measures for the Control of Diseases of Vegetable Crops," Sci. Rep.
Qinghai, no. 2, 1949, pp. 53-55. SC 3a13

So: 31ra 37-94-53, 15 Dec 1963

1. SHUFILENKO, YE. P.
2. USSR (600)
7. "An Experiment in Supplementary Nourishment of Earley to Combat Striped Spotting", Trudy Vsesoyuzn. In-ta Zashchity Rasteniy (Works of the All-Union Institute of Plant Protection), No 3, 1951, pp 74-77.
9. Mikrobiologiya, Vol XXI, Issue 1, Moscow, Jan-Feb 1952, pp 121-132. Unclassified.

R.A.M. SHUMILENKO, Ye. P.

SHUMILENKO (E. P.). СПЕЦИАЛИЗАЦИЯ КОРОНАТОЙ РЖАВЧИНЫ ОВСА [Specialization of the crown rust of Oats.]—*Bot. Zh.* [*J. bot. U.S.S.R.*], 36, 6, pp. 635-642, 1 diag., 1951.

In studies at the Pan-Soviet Institute of Plant Protection, Leningrad, *Rhamnus pallasii* was found to be an alternate host of oat crown rust (*Puccinia coronata*) in the U.S.S.R. [*R.A.M.*, 30, p. 62]. Eradication of *R. pallasii* is recommended as a preventative measure against further oat infection. The results of a three-year study of the complete life cycle of this fungus are described. In cross inoculation experiments with the basidiospores *R. pallasii*, *R. cathartica* [*ibid.*, 29, p. 149], *R. dahuricus* [*ibid.*, 23, p. 501], and *R. oleoides* were all infected, but not *R. frangula* [*ibid.*, 29, p. 149]. The aecidiospores from *Rhamnus* attacked oats strongly.

1. SHUMILENKO, YE. P.
 2. USSR (600)
 4. Fungicides
 7. Effectiveness of the preparation NIUIF-2 (granozan) in controlling diseases of the seeds of grain crops. Sel. i sem. 19 no. 10, 1952
9. Monthly List of Russian Accessions, Library of Congress, January 1953. Unclassified.

SHUMILENKO, E. P.

The influence of several microelements on plant stability.
E. P. Shumilenko. *Zemledelie* 1953, No. 5, 16-18.
Soaking clover seed in a 0.2% H_2BO_3 or 0.4% $MnSO_4$ for 10-15 hrs. followed by a dusting with granosan (probably an org. lig. compd.) after the seed has been dried proved to be very effective in reducing the injury by *Fu. artem. avenaceum* and *Hel. artem. tenuis*, increasing the germination, accumulation of sugars in plants, and a lowering of peroxidase in plants.
J. S. Hoffe

SHUMILENKO, E. P.
SHUMILENKO, E. P.

SHUMILENKO (E. P.) О предварительном протравливании семян зерновых культур гранозаном. [Preliminary treatment of grain culture seeds with granosan.]—Земледелие. [Zemledeliye, Moscow], 2, 3, pp. 85-88, 2 graphs, 1954.

In field trials conducted in 1952 by the Biological Institute of the Ural affiliation of the U.S.S.R. Academy of Sciences, seed treatment of wheat (varieties Diamond and Lutescens 62), oats (Zolotoy dozhd [Golden rain]), and barley (Weiner and Record) in the autumn with granosan (1, 2, and 1.5 kg. per t[on] of seed, respectively) freed them all completely from, respectively, bunt [*Tilletia caries*: R.A.M., 19, p. 391] and covered smuts [*Ustilago kollerii* and *U. hordei*: 18, p. 605], while those treated in the spring had 0.01 to 0.03 per cent. infection. Infection of spring-treated barley with *Helminiosporium* sp. was double that of the autumn-treated. Infection with loose smut [*Ustilago nuda*: 31, p. 113] was reduced by autumn treatment to 0.24 per cent. compared with 1 per cent. when seeds were sown immediately after treatment.

In 1953, seed treatment with granosan in March-April and November-December was tested at -26° [C.] on Diamond wheat and Odesky and Weiner barley. Barley infection with *Alternaria tenuis* [31, p. 596] from the treated seed was reduced. Wheat was completely free from bunt and loose smut [*U. tritici*: 33, p. 20] and barley from covered smut, though 2 per cent. loose smut occurred in barley plants from seed treated in April, 1953.

SHUMILENKO, Ye.P.; DEMIDOVA, Z.A., kandidat biologicheskikh nauk, otvetstven-
nyy redaktor

[Diseases of potatoes and ways of combating them] Bolezni kartofelia
i mery bor'by s nimi. Sverdlovsk, Akademiia nauk SSSR, Ural'skii
filial, 1956. 41 p. (MLRA 9:11)
(Potatoes--Diseases and pests)

BOGACHEVA, V.I.; KOROBEYNIKOVA, A.V.; SHUMILENKO, Ye.P., kand.biol.nauk,
otvetstvennyy redaktor; POTAPOVA, T.S., redaktor; IZMODENOVA, L.A.,
tekhn.redaktor

[Pests and diseases of clover in Sverdlovsk Province and ways of
controlling them] Vrediteli i bolezni klevvera v Sverdlovskoi oblasti
i mery bor'by s nimi. Sverdlovsk, Akad. nauk SSSR, Ural'skii filial,
In-t biologii, 1957. 46 p. (MIRA 11:2)
(Sverdlovsk Province--Clover--Diseases and pests)

Country : USSR 0
Category : Plant Diseases. Diseases of Cultivated Plants.
Abs Jour. : Ref. Zhur., Biologiya No. 11, 1958. No. 49249
Author : Shumilenko, Ye.F.
Institute : Not given
Title : The Influence of Carbon Nutrient Sources on the
Morphological and Parasitic Properties of the
Clover Sprout Disease Agent *Alternaria tenuis* Nass.
Orig. Pub.: Mikrobiologiya, 1957, 26, No. 3, 374-379
Abstract : It was found that the form, dimensions and color
of spores and hyphae of the fungus *A. tenuis*, its
fermentative activity and virulency are related
to the source of C in its environment. When the
cultures soil was infected with the fungus grown
in medium with saccharose, considerable loss of
germinating ability and 100% infection in the
sprouts were observed. It is presumed that when
Card: 1/2

Country : USSR
Category : Plant Diseases. Diseases of Cultivated Plants.

Abs. Jour.: Ref. Zhur.-Biologiya No. 11, 1958. No. 49249

Author :
Institute :
Title :

Orig. Pub.:

Abstract : this agent is grown on saccharose medium the virulence of the fungus is heightened, whereas cultivation on medium with mannite reduces its virulence.--V.V. Vlodavets

Card: 2/2

SHUMILENKO, Ya.P.

Hibernation of stem rust (*Puccinia graminis* Pers.) under conditions prevailing in Sverdlovsk Province. Bot.zhur.42 no.1:95-97 Ja '57.

1. Institut biologii Ural'skogo filiala Akademii nauk SSSR, Sverdlovsk.

(Sverdlovsk Province--Uredineae)

SHUMILENKO, Ye.P.

Diseases of clover in Sverdlovsk Province. Trudy Inst. biol.
UFAN SSSR no. 15:47-70 '60. (MIRA 13:10)
(SVERDLOVSK PROVINCE—CLOVER—DISEASES AND PESTS)
(FUNGI, PHYTOPATHOGENIC) (BACTERIA, PHYTOPATHOGENIC)

SHUMILENKO, Ye.P.

Transmission of brown rot by the seeds of flowering plant: .
Biul.Glav.bot.sada no. 48:84-85 '63. (MIRA 17:5)

1. Ural'skiy nauchno-issledovatel'skiy institut Akademii
kommunal'nogo khozyaystva, Sverdlovsk.

SHUMILENKO, Ye.N.

Chemical and biological means of controlling some diseases
of flowering plants. Nauch. trudy AKKH no.24:125-136 '61.
(MIRA 18:1)

Results of testing copper preparations for controlling gray
leaf spot of poplars. Ibid. 2137-140

Microfilm frame containing a document page. The page is titled "SHUMILIN, A. A. and Paleev, I. I. DRYING PROCESSES AND METHODS OF DRYING REFRACTORY MATERIALS. Ozen-pory. 5 [1] 13 24 (1937) - The drying conditions of bodies of similar geometrical shape can be determined according to the principles of "similarity." Bodies containing water can withstand only a certain temperature without breaking. This temperature is called "critical" temperature. It depends on the moisture content of the body, its nature, and the mix. This critical temperature was lowered by adding finely grained grog to the materials tested."

1ST AND 2ND ORDER										3RD AND 4TH ORDER									
PROCESSES AND PROPERTIES INDEX																			
19																			
Drying of semi-dry pressed brick. A. A. Shumilin. Ogneupory 5, 568-63(1937). E. Stefanowski																			
ASB-SLA METALLURGICAL LITERATURE CLASSIFICATION																			
MATERIALS INDEX										COMMON VARIABLES INDEX									
GROUP										SUBGROUP									
1ST AND 2ND ORDER										3RD AND 4TH ORDER									

CA

19

The effect of the condensation of steam on the drying of ceramic articles. A. A. Shumilin. *Ogneupory* 1930, No. 4, 246-51; *Khim. Referat. Zhur.* 1930, No. 8, 84. Heating takes place more rapidly with condensation of steam on the ware than without it. Optimum results for rapid heating were obtained when the mixt. was prepd. with hot water; this had a no. of advantages over the condensation of steam on the raw material. W. R. Henn

ASR-3LA METALLURGICAL LITERATURE CLASSIFICATION

6A

19

Electrodrying of ceramic products. A. A. Shumilin. *Vysokaya* 1939, No. 17, 3 32; *Chem. Zvest.* 1940, 1, 2523; cf. C. A. 34, 6680. The molded pieces are subjected as resistance in an a.c. circuit. Resistance increases as drying progresses. The voltage is slowly increased to 220 v. Formulas necessary for the calcul. of the current and the amt. of heat required are explained. M. G. Moore

ASTM-SLA METALLURGICAL LITERATURE CLASSIFICATION

Graphic methods for making calculations on drying
[ceramic] equipment. A. A. Shumilin. *Trudy Vsesoyuz.
Inst. Osnovnykh 1939, No. 17, 33-44; Chem. Zentr.
1940, I, 2000; cf. C. A. 34, 6080; 35, 7068. - A mono-
graph on drying culens.* M. G. Moser

Hydration of magnesite. A. A. SHUMILIN (*Ogneupory*, 12 [12] 545-49 (1947))--The hydration of magnesite in a pit at the Magnesite Works proceeds without loss of water to the surrounding medium, and the water balance can be expressed by $x + W = x_1 + W_1$, where x = free absolute moisture (% based on absolute dry weight) of the material for any given period, W = water of hydration (% based on absolute dry weight) for the same period as for x , and x_1 and W_1 = moisture and water of hydration (%) for the initial period. At constant temperature of the material, x_1 and W_1 will depend only upon the length of time, τ . By applying to this process the equation of the kinetics of a monomolecular reaction and solving, $x = x_e e^{-k\tau}$ (I) and $W = W_e + x_e (1 - e^{-k\tau})$ (II), where k is a constant for the given temperature. I can be used to determine (a) free moisture in magnesite after a given time interval, if x_e and k are known, (b) amount of water of hydration in the magnesite after, at a definite period, hydration has started, and (c) the time interval for which x will be equal to a given value of x_1 . II can be used to determine (a) amount of water of hydration after a time interval, τ , for known values of W_e and x_e , (b) amount of remaining free water in the magnesite, and (c) time interval for which hydration of magnesite will have a given value of W_1 . Cf. *Ceram. Abstracts*, 1949, Aug., p. 185a. B.Z.K.

BZ-K

ASB-31A METALLURGICAL LITERATURE CLASSIFICATION

SHUMILIN, A. A.

PA 32/49T65

USSR/Minerals
Refractory Materials
Firebrick

Aug 48

"The Mechanical Stability of Unburnt Magnesite
Brick (the Semifinished Product)," A. A. Shumilin,
Cand Mech Sci, 1 $\frac{1}{2}$ pp

"Ogneupory" No 8

Presents results of experiments on subject. Graph
shows mechanical strength plotted against hydration
moisture.

32/49T65

SHUMILIN, A. A.

PA 18/49T94

USSR/Minerals
Clays


Nov 48

"Drying Clays at the Locations Where They Are
Obtained," A. A. Shumilin, Cand Tech Sci, 4 $\frac{1}{4}$ pp

"Ogneupory" No 11

Ye. O. Domoratskiy ("Ogneupory" No 10, 1947) showed it
was possible to dry clays at the mine. Shumilin
discusses pros and cons of this arrangement.

18/49T94



1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100

AND AND DROPS

PROCESSES AND PROPERTIES INDEX

9 - 11 10

Drying of clay at the pits. A. A. SHUMILIN. *Otkrytiya*. 13 [11] 603-500 (1048). --Data are given on (1) equilibrium moisture of clays, (2) atmospheric temperatures, (3) relative humidity, (4) amount of precipitation, and (5) freezing depth of soil in various regions of the Soviet Union. The drying of clay at the pits is considered undesirable on the basis of technical and economic considerations. B.Z.K.

ASB-5LA METALLURGICAL LITERATURE CLASSIFICATION

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100

Improving the construction of shaft kilns. I. F. CHURKOV AND A. A. SHUMILIN. *Ogneupory*, 14 (1) 100-105 (1949). The chief defect of gas fired shaft kilns used for firing grog is the uneven distribution of the generator gas and combustion products within the space of the kiln. The construction of kilns with narrower shafts and the use of higher gas pressure did not result in more even distribution of the gas. In changing two shaft kilns to use gas fuel, the burners were constructed in the form of slits 1400 x 80 mm. and 1.8 m. (width of kiln) apart. The burners (slits) were in two rows, six in the upper and eight in the lower row. Gas was not delivered to the upper burners because combustion there was found to be largely incomplete. The slit burners produced satisfactory distribution of gas in the firing zone. Gas analysis at different points in the cross section of the kiln showed that the central part of the kiln was supplied with sufficient gas and that the excess of air along the periphery was somewhat greater than in the center. In two other kilns, all the 14 burners (slits) were in one row and 800 mm. above those in the first-mentioned kilns; the burners were 1400 x 25 mm. The outputs of both pairs of kilns were practically the same. H.Z.K.